

HT 10

ROBUST AND ESSENTIAL
HOOD-TYPE DISHWASHERS

DIHR
we mean clean

HT 10

ROBUST AND ESSENTIAL
HOOD-TYPE DISHWASHERS



You asked and we listened! We are thrilled to announce our brand new range: HT 10. These robust and essential hood-type dishwashers simply make sense. Nothing superfluous: solid S/S

body with single skin hood, sloped tank, innovative and light arms, controlled temperatures and, only if needed, detergent dispenser and drain pump. Wash, rinse, restart. It is really that simple.



ELECTRONIC VERSION






The intuitive LED control panel of the HT 10 L model will display if the correct temperatures of both tank and boiler have been reached. You can choose among 3 different wash programs to perfectly tailor the performances of the machine to the crockery that needs to be cleaned.

FEATURES







- 1 wash cycle (HT 10)
- 3 wash cycles (HT 10 L)
- Self-cleaning cycle on the electronic version (HT 10 L)
- Tank and boiler thermometers
- Hood operating start/stop functions
- Deep-formed tank
- Innovative system of coupled wash and rinse arms in polypropylene and fiber of glass
- Standard surface filters in polypropylene
- Pump filter
- Standard rinse aid dispenser
- Easily removable basket support
- Linear or corner layouts

HT 10

ROBUST AND ESSENTIAL
HOOD-TYPE DISHWASHERS

| Model | | Voltage | Capacity | Dimensions | Code |
|---|--|-----------------------------|--|--|--------------|
| HT 10 | 1 PROGRAM new | | | | |
|  | RACK EQUIPMENT 1 X C40 1 X C44 1 X 15060 | 400 V 3N ~ 50 Hz 6,55 kW |  355 H  Ø 410  500x500 | 720x735x 1445/1880 H 100 kg  X 530x325x25 H | HT 10 |

X With special basket to be ordered

| Model | Voltage | Capacity | Dimensions | Code | |
|--|--|-----------------------------|---|--|----------------|
| HT 10 L  | 3 PROGRAMS New RACK EQUIPMENT 1 X C40 1 X C44 1 X 15060  | 400 V 3N ~ 50 Hz 6,55 kW |  355 H  Ø 410  500x500 | 720x735x 1445/1880 H 100 kg  GN 1/1 530x325x25 H | HT 10 L |

HT 10

ROBUST AND ESSENTIAL
HOOD-TYPE DISHWASHERS














OPTIONS














| | | PS | DDE | DB | TS | DF |
|----------------|-----------------------|---------------|------------------------|------------------------|------------------------------|--------------------|
| Model | 380-415 V 3N 50 Hz | Drain Pump | Detergent Dispenser | Rinse-Aid Dispenser | Electr. Timer +Thermostop | Surface Filters |
| HT 10 | ● | € | € | ● | ● | ● |
| HT 10 L | ● | € | € | ● | ● | ● |

- Standard
- Not available
- L** LED electronic

EAC label upon request

Water supply 55 °C

| | Description | Capacity | Dimensions | Code | |
|---|----------------------------|--|---------------|--|--|
|  | SLOPED GLASS BASKET | Ø 100 max | 500x500x200 H | C 26 | |
|  | REUSABLE CUP BASKET | 5x5 glasses 30 mm < Ø < 90 mm H max 185 mm | 500x500x235 H | C 135  | |
|  | NARROW MESH CUTLERY BASKET | | 500x500x106 H | C 41 | |
|  | LARGE MESH BASKET | For glasses | 500x500x105 H | C 44 | |
|  | HOLDER FOR GLASS SUPPORT | For glass support (C112-C113-C114) | 500x500x50 H | C111 | |
|  | GLASS SUPPORT | 5x5 Glass Ø 87 mm (C111) | 500x500x50 H | C 112 | |
|  | GLASS SUPPORT | 4x4 Glass Ø 110 mm (C111) | 500x500x50 H | C 113 | |
|  | GLASS SUPPORT | 6x6 Glass Ø 72 mm (C111) | 500x500x50 H | C 114 | |
|  | PLATE BASKET | 18 Plates | 500x500x105 H | C 40 | |
|  | GASTRONORM TRAYS BASKET | 6 pcs max depth 25mm | 500x500x105 H | C 43/B | |
|  | CUTLERY BASKET | Standard (2 pcs) | Ø 120x120 H | 15060 | |
|  | WATER SOFTENER | 12 l | Ø 200x500 H | D 1 | |

| | Description | Capacity | Dimensions | Code | | | | |
|---|--|--|---|----------------|---|---|--|---|
|  | AUTOMATIC WATER SOFTENER | 12 l (max 800 l) | 315x510x685 H | D 2 | | | | |
|  | SHELF | Only for exit | 600x510 | T 10 | | | | |
| | TABLE | | 650x510x860 H | T 28 | | | | |
|  | HOOD CONNECTION SHELF | | | KIT DUO | | | | |
| T 34 A T 34 B |  | T 35 |  | Table | 700x590x860 H 1200x590x860 H 1200x590x860 H | T 34 A T 34 B T 35 | | |
| T 50 |  | T 50 F |  | T 55 |  | Sink 500x400x270 H | 1200x730x860 H 1200x730x860 H 1200x730x860 H | T 50 T 50 F T 55 |
| T 80 |  | T 80 E T 90 |  | | | Sink 500x400x270 H | 1500x730x860 H 1500x730x860 H 1800x730x860 H | T 80 T 80 E T 90 |
|  | SHELF | | | | | | 1515x620x660 H 2315x620x660 H | M 16* M 24* |
| | GRADING TABLE WITH RUBBER RING | Waste hole and special dimensions upon request | | | | | 1600x1000x850 H 2400x1000x850 H | TC 16* TC 24* |
|  | FLEXIBLE SHOWER complete with mixing group and lever tap, to be fixed to the wall | | | | | | 1000 H | D 01 |
| | FLEXIBLE SHOWER complete with mixing group and lever tap, to be fixed to the wall and intermediate tap | | | | | | 1000 H | D 02 |
|  | STAINLESS STEEL WASTE BIN | Basic model | | | | | Ø 400x570 H | P 01 |
| | | With wheels | | | | | Ø 400x570 H | P 02 |
| | | With wheels and pedal board | | | | | Ø 400x570 H | P 03 |

* Wooden cage +2% minimum + €

Special dimensions for tables upon request

Tables shown in right-to-left version



DIHR ALI GROUP SRL

Via del Lavoro, 28

I - 31033 Castelfranco Veneto (TV)

T: +39 0423 7344

E: dihr@dihr.com

Service:

T. +39 0423 734548

E: service@dihr.com

www.dihr.com

an Ali Group Company



The Spirit of Excellence

